

EXEMPLAR SOLUTIONS PHYSICS

Chapter 4:-Moving Charges and Magnetism



Chapter 4-Moving Charges and Magnetism

Multiple Choice Questions I

4.1. Two charged particles traverse identical helical paths in a completely opposite sense in a uniform

magnetic field $B = B_0 \hat{k}$

- a) they have equal z-components of momenta
- b) they must have equal charges
- c) they necessarily represent a particle-antiparticle pair
- d) the charge to mass ratio satisfy: (e/m)1 + (e/m)2 = 0

Answer:

- d) the charge to mass ratio satisfy: (e/m)1 + (e/m)2 = 0
- 4.2. Biot-Savart law indicates that the moving electrons produce a magnetic field B such that
- a) B \perp v
- **b**) **B l v**
- c) it obeys inverse cube law
- d) it is along the line joining the electrons and point of observation

Answer:

- a) B \perp v
- 4.3. A current circular loop of radius R is placed in the x-y plane with centre at the origin. Half of the lop with x > 0 is now bent so that it now lies in the y-z plane.
- a) the magnitude of magnetic moment now diminishes
- b) the magnetic moment does not change
- c) the magnitude of B at (0,0,z), z >> R increases
- d) the magnitude of B at (0,0,z), z >> R is unchanged

Answer:

- a) the magnitude of magnetic moment now diminishes
- 4.4. An electron is projected with uniform velocity along the axis of a current carrying long solenoid. Which of the following is true?
- a) the electron will be accelerated along the axis
- b) the electron path will be circular about the axis
- c) the electron will experience a force at 45° to the axis and hence execute a helical path
- d) the electron will continue to move with uniform velocity along the axis of the solenoid
- d) the electron will continue to move with uniform velocity along the axis of the solenoid
- 4.5. In a cyclotron, a charged particle
- a) undergoes acceleration all the time
- b) speeds up between the dees because of the magnetic field
- c) speeds up in a dee
- d) slows down within a dee and speeds up between dees

Answer:

- c) speeds up in a dee
- 4.6. A circular current loop of magnetic moment M is in an arbitrary orientation in an external magnetic field B. The work done to rotate the loop by 300 about an axis perpendicular to its plane is a) MB

- b) $\sqrt{3}$ MB/2
- c) MB/2
- d) zero

Answer:

d) zero

Multiple Choice Questions II

- 4.7. The gyro-magnetic ratio of an electron in an H-atom, according to Bohr model is
- a) independent of which orbit it is in
- b) negative
- c) positive
- d) increases with the quantum number n

Answer

- a) independent of which orbit it is in
- b) negative
- 4.8. Consider a wire carrying a steady current, I placed un a uniform magnetic field B perpendicular to its length. Consider the charges inside the wire. It is known that magnetic forces do not work. This implies that
- a) motion of charges inside the conductor is unaffected by B since they do not absorb energy
- b) some charges inside the wire move to the surface as a result of B
- c) if the wire moves under the influence of B, no work is done by the force
- d) if the wire moves under the influence of B, no work is done by the magnetic force on the ions, assumed fixed within the wire

Answer:

- b) some charges inside the wire move to the surface as a result of B
- d) if the wire moves under the influence of B, no work is done by the magnetic force on the ions, assumed fixed within the wire
- 4.9. Two identical current carrying coaxial loops, carry current I in an opposite sense. A simple amperian loop passes through both of them once. Calling the loop as C,

 $\oint_c B.dl = \mp 2\mu_0 I \text{ GEEN GROUP}$

tamso ma jyotirgamaya

- b) the value of $\int_c^{\int_c}$ is independent of sense of C
- c) there may be a point on C where B and dl are perpendicular
- d) B vanishes everywhere on C

Answer:

b) the value of $\oint_c B.dl$ is independent of sense of C

- c) there may be a point on C where B and dl are perpendicular
- 4.10. A cubical region of space is filled with some uniform electric and magnetic fields. An electron enters the cube across one of its faces with velocity v and a positron enters via opposite face with velocity –v. At this instant,
- a) the electric forces on both the particles cause identical acceleration
- b) the magnetic forces on both the particles cause equal accelerations
- c) both particles gain or lose energy at the same rate
- d) the motion of the centre of mass (CM) is determined by B alone

Answer:

- b) the magnetic forces on both the particles cause equal accelerations
- c) both particles gain or lose energy at the same rate
- d) the motion of the centre of mass (CM) is determined by B alone
- 4.11. A charged particle would continue to move with a constant velocity in a region wherein,
- a) $E = 0, B \neq 0$
- b) $E \neq 0$, $B \neq 0$
- c) $E \neq 0$, B = 0
- d) E = 0, B = 0

Answer:

- a) $E = 0, B \neq 0$
- b) $E \neq 0$, $B \neq 0$
- d) E = 0, B = 0

Very Short Answers

4.12. Verify that the cyclotron frequency $\mathbf{co} = \mathbf{eB/m}$ has the correct dimensions of [T]⁻¹.

Answer:

The path traced by the particle in a cyclotron is a circular path in which magnetic force acts as a centripetal force $mv^2/R = evB$

$$eB/m = v/R = \omega$$

$$B = F/ev = [MLT^{-2}]/[AT][LT^{-1}] = [MA^{-1}T^{-2}]$$

$$[\omega] = [eB/m] = [v/R] = [T]^{-1}$$

4.13. Show that a force that does no work must be a velocity dependent force.

Answer:

$$dW = \overrightarrow{f} \cdot \overrightarrow{dl} = 0$$

$$\overrightarrow{f} \cdot \overrightarrow{dl} tamso ma jyotirgamaya$$

$$\overrightarrow{f} \cdot \overrightarrow{f} \cdot \overrightarrow{dl} t = 0$$

$$\underset{F}{\rightarrow}$$
 . $\underset{v}{\rightarrow}=0$

4.14. The magnetic force depends on v which depends on the inertial frame of reference. Does then the magnetic force differ from inertial frame to frame? Is it reasonable that the net acceleration has a different value in different frames of reference?

Answer:


The net acceleration can have a different value in different frames of reference as velocity depends on frame of reference.

4.15. Describe the motion of a charged particle in a cyclotron if the frequency of the radio frequency (rf) field were doubled.

Answer:

When the frequency of the radio frequency field were doubled, the time period of the radio frequency is halved which results in half revolution of the charges.

4.16. Two long wires carrying current I1 and I2 are arranged as shown in the figure. The one carrying I1 is along is the x-axis. The other carrying current I_2 is along a line parallel to the y-axis given by x = 0 and z = 1d. Find the force exerted at O2 because of the wire along the x-axis.



Answer:

The magnetic field B on a current carrying conductor is given as $F = I(L \times B) = ILB \sin\theta$

 O_2 and I_1 are parallel to the y-axis and are in the direction of -Y

I₂ is parallel to the y-axis and is along Y-axis therefore, the angle between I₂ and B₁ is zero. The magnetic force F₂ is given as $F_2 = B_1I_2L_1 \sin 0^\circ = 0$ a jyotirgamaya

Therefore, the force on O_2 has current I_1 zero.

Short Answers

4.17. A current carrying loop consists of 3 identical quarter circles of radius R, lying in the positive quadrants of the x-y, y-z, and z-x planes with their centres at the origin, joined together. Find the direction and magnitude of B at the origin.

Answer:

The vector sum of the magnetic field at the origin due to the quarter is given as

$$\underset{B}{\rightarrow}_{net} = \frac{1}{4} \left(\frac{\mu_0 I}{2R} \right) \left(\hat{i} + \hat{j} + \hat{k} \right)$$

4.18. A charges particle of charge e and mass m is moving in an electric field E and magnetic field B. Construct dimensionless quantities and quantities of dimension [T]⁻¹.

Answer:

$$mv^2/R = evB$$

$$eB/m = v/R = \omega$$

$$B = F/ev = [MA^{-1}T^{-2}]$$

$$[\omega] = [eB/m] = [v/R] = [T^{-1}]$$

4.19. An electron enters with a velocity v = v0i into a cubical region in which there are uniform electric and magnetic fields. The orbit of the electron is found to spiral down inside the cube in plane parallel to the x-y plane. Suggest a configuration of fields E and B that can lead to it.

Answer:

The configuration of the fields E and B are spiral path.

 $dl_2 = dlj$

$$dl_1 = dl\hat{i}$$

4.20. Do magnetic forces obey Newton's third law. Verify for two current elements

located


at the origin and

located at (0,R,0). Both carry current I.

Answer:

The magnetic forces do not obey Newton's third law if there is no current flowing in the conductor which is placed parallel to each other.

4.21. A multirange voltmeter can be constructed by using a galvanometer circuit as shown in the figure. We want to construct a voltmeter that can measure 2V, 20V, and 200V using galvanometer of resistance 10Ω and that produces maximum deflection for current of 1 mA. Find R1, R2, and R3 that have to be used.



Answer:

 $i_G(G+R1) = 2$ for 2V range

 $i_G(G+R1+R2) = 20$ for 20V range

 $i_G(G+R1+R2+R3) = 200 \text{ for } 200V \text{ range}$


Solving the above, we get

 $R1 = 1990 \Omega$

 $R2 = 18k\Omega$

 $R3 = 180 \text{ k}\Omega$

4.22. A long straight wire carrying current of 25 A rests on a table as shown in the figure. Another wire PQ of length 1 m, mass 2.5 g carries the same current but in the opposite direction. The wire PQ is free to slide up and down. To what height will PQ rise?




The magnetic field produced by a long straight current carrying wire is given as

 $B=\mu_0 I/2\pi h$ Magnetic force on the small conductor is F=BIl sin $\theta=BIl$ $F=mg=\mu_0 I^2 l/2\pi h$ h=0.51 cm

Long Answers

4.23. A 100 turn rectangular coil ABCD is hung from one arm of a balance. A mass 500 g is added to the other arm to balance the weight of the coil. A current 4.9 A passes through the coil and a constant magnetic field of 0.2 T acting inward is switched on such that only arm CD of length 1 cm lies in the field. How much additional mass 'm' must be added to regain the balance?



Answer:

When t = 0, the external magnetic field is off.

 $Mgl = W_{coil} 1$

 $0.5 \text{ gl} = W_{coil} 1$

Wcoil = 0.5 9.8 N


Let m be the mass which is added to regain the balance

When the magnetic field is switched is on,

Mgl + mgl = (ILC)l

m = 1 g

4.24. A rectangular conducting loop consists of two wires on two opposite sides of length 1 joined together by rods of length d. The wires are each of the same material but with cross-sections differing by a factor of 2. The thicker wire has a resistance R and the rods are of low resistance, which in turn are connected to a constant voltage source Vo. The loop is placed in uniform a magnetic field B at 45oto its plane. Find τ , the torque exerted by the magnetic field on the loop about an axis through the centres of rods. Answer:



Force and torque on the first wire is given as

 $F_1 = i_1 l B \sin 90^\circ = V_0/2R l B$


 $\tau_1 = d/2\sqrt{2}$

 $F_1 = V_0 ldB/2\sqrt{2} R$

 $\tau = 1/4\sqrt{2} \text{ V}_0 \text{AB/R}$

4.25. An electron and a positron are released from (0, 0, 0) and (0, 0, 1.5R) respectively, in a uniform

magnetic field each with an equal momentum of magnitude p = eBR. Under what conditions on the direction of momentum will the orbits be non-intersecting circles? Answer:



When the centres are greater than 2R, then the circular orbits of electron and positron shall not overlap.

Let d be the distance between Cp and Ce

Then $d^2 = 4R^2 + 9/4R^2 - 6R^2 \cos\theta$

As d is greater than 2R,

 $9/4 > 6 \cos \theta \text{ or } \cos \theta < 3/8$

4.26. A uniform conducting wire of length 12a and resistance R is wound up as a current carrying coil in the shape of i) an equilateral triangle of side a; ii) a square if sides a and iii) a regular hexagon of sides a. The coil is connected to a voltage source V0. Find the magnetic moment of the coils in each case.


Answer:

a) An equilateral triangle with side a

No.of loops = 4

Area of the triangle $A = \sqrt{3}/4 a^2$

Magnetic moment, $m = Ia2\sqrt{3}$



b) For a square with sides a

Area. $A = a^2$

No.of loops = 3

Magnetic moment, $m = 3Ia^2$




$$n = 3$$

c) For a regular hexagon with sides a so ma jyotirgamaya

Area, $A = 6\sqrt{3}/4 \text{ a}^2$

No.of loops = 2

Magnetic moment, $m = 3\sqrt{3}a^2I$



n=2

4.27. Consider a circular current-carrying loop of radius R in the x-y plane with centre at origin. Consider

$$\Im(L) = \left| \int_{-L}^{L} B.dl \right|$$

the line integral

taken along z-axis.

$$\Im(L)$$

a) show that


monotonically increases with L

$$\Im(\infty) = \mu_0 I$$

where I is the current in the wire

- b) use an appropriate Amperian loop to that
- c) verify directly the above result
- d) suppose we replace the circular coil by a square coil of sides R carrying the same current I. What can

you say about $\Im(\infty)$ and $\Im(L)$ Answer:



a) Magnetic field due to a circular current-carrying loop is given as

$$\Im(L) = \int_{-L}^{+L} B dl = 2BL$$

It is a monotonically increasing function of L


b) The Amperian loop is given as

$$\Im(\infty) = \oint_{-\infty}^{+\infty} \xrightarrow{B} \cdot \xrightarrow{dl} = \mu_0 I$$


- c) The magnetic field at the axis of the circular coil is given as μ0I
- d) When a circular coil is replaced with a square coil, it is given as

$$\Im(\infty)_{square} = \Im(\infty)_{circular\ coil}$$

4.28. A multirange current meter can be constructed by using a galvanometer circuit shown in the figure. We want a current meter that can measure 10 mA, 100 mA, and 1 A using a galvanometer of resistance 10Ω and that produces maximum deflection for current of 1 mA. Find S1, S2, and S3 that have to be used.



Answer:




$$\begin{split} I_1 \text{ is measured as} &= 10 \text{ mA} = I_GG = (I_1 - I_G)(S_1 + S_2 + S_3) \\ I_2 \text{ is measured as} &= 100 \text{ mA} = I_G(G+S_1) {=} (I_2\text{-}I_G)(S_2\text{-}S_3) \\ I_3 \text{ is measured as} &= 1 \text{ A} = I_G(G+S_1+S_2) {=} (I_3\text{-}I_G)(S_3) \\ S_1 &= 1 \text{ }\Omega \end{split}$$


 $S_1 - 1 \Omega$ $S_2 = 0.1 \Omega$ $S_3 = 0.01 \Omega$

4.29. Five long wires A, B, C, D, and E each carrying I are arranged to form edges of a pentagonal prism as shown in the figure. Each carries current out of the plane of paper.

- a) what will be magnetic induction at a point on the axis O> Axis is at a distance R from each wire
- b) what will be the field if current in one of the wires is switched off
- c) what if current in one of the wire A is reversed




Answer:




The magnetic induction at a point on the axis will be 0 which is represented by R as A, B, C, D, and E are perpendicular to the plane of paper at the given locations.

b)



When the current in one of the wires is switched off, the field $\mu_0/2\pi$ i/R will be perpendicular to AO towards left.



If the current is reversed, then the total magnetic field induction at O is $\mu_0/4\pi R$ 2I/R

NAGEEN GROUP

tamso ma jyotirgamaya

CLICK TO DOWNLOAD NCERT EXEMPLAR SOLUTIONS

CLASS 12: PHYSICS (ALL CHAPTERS)





JOIN OUR WHATSAPP GROUPS

FOR FREE EDUCATIONAL RESOURCES



JOIN SCHOOL OF EDUCATORS WHATSAPP GROUPS FOR FREE EDUCATIONAL RESOURCES

We are thrilled to introduce the School of Educators WhatsApp Group, a platform designed exclusively for educators to enhance your teaching & Learning experience and learning outcomes. Here are some of the key benefits you can expect from joining our group:

BENEFITS OF SOE WHATSAPP GROUPS

- **Abundance of Content:** Members gain access to an extensive repository of educational materials tailored to their class level. This includes various formats such as PDFs, Word files, PowerPoint presentations, lesson plans, worksheets, practical tips, viva questions, reference books, smart content, curriculum details, syllabus, marking schemes, exam patterns, and blueprints. This rich assortment of resources enhances teaching and learning experiences.
- Immediate Doubt Resolution: The group facilitates quick clarification of doubts.
 Members can seek assistance by sending messages, and experts promptly respond
 to queries. This real-time interaction fosters a supportive learning environment
 where educators and students can exchange knowledge and address concerns
 effectively.
- Access to Previous Years' Question Papers and Topper Answers: The group provides access to previous years' question papers (PYQ) and exemplary answer scripts of toppers. This resource is invaluable for exam preparation, allowing individuals to familiarize themselves with the exam format, gain insights into scoring techniques, and enhance their performance in assessments.

- Free and Unlimited Resources: Members enjoy the benefit of accessing an array of educational resources without any cost restrictions. Whether its study materials, teaching aids, or assessment tools, the group offers an abundance of resources tailored to individual needs. This accessibility ensures that educators and students have ample support in their academic endeavors without financial constraints.
- **Instant Access to Educational Content:** SOE WhatsApp groups are a platform where teachers can access a wide range of educational content instantly. This includes study materials, notes, sample papers, reference materials, and relevant links shared by group members and moderators.
- **Timely Updates and Reminders:** SOE WhatsApp groups serve as a source of timely updates and reminders about important dates, exam schedules, syllabus changes, and academic events. Teachers can stay informed and well-prepared for upcoming assessments and activities.
- Interactive Learning Environment: Teachers can engage in discussions, ask questions, and seek clarifications within the group, creating an interactive learning environment. This fosters collaboration, peer learning, and knowledge sharing among group members, enhancing understanding and retention of concepts.
- Access to Expert Guidance: SOE WhatsApp groups are moderated by subject matter experts, teachers, or experienced educators can benefit from their guidance, expertise, and insights on various academic topics, exam strategies, and study techniques.

Join the School of Educators WhatsApp Group today and unlock a world of resources, support, and collaboration to take your teaching to new heights. To join, simply click on the group links provided below or send a message to +91-95208-77777 expressing your interest.

Together, let's empower ourselves & Our Students and inspire the next generation of learners.

Best Regards,
Team
School of Educators

Join School of Educators WhatsApp Groups

You will get Pre-Board Papers PDF, Word file, PPT, Lesson Plan, Worksheet, practical tips and Viva questions, reference books, smart content, curriculum, syllabus, marking scheme, toppers answer scripts, revised exam pattern, revised syllabus, Blue Print etc. here. Join Your Subject / Class WhatsApp Group.

Kindergarten to Class XII (For Teachers Only)



Kindergarten

Class 12 (Commerce)

Subject Wise Secondary and Senior Secondary Groups (IX & X For Teachers Only) Secondary Groups (IX & X)



Senior Secondary Groups (XI & XII For Teachers Only)









































Other Important Groups (For Teachers & Principal's)



Principal's Group





Teachers Jobs

IIT/NEET

Join School of Educators WhatsApp Groups


You will get Pre-Board Papers PDF, Word file, PPT, Lesson Plan, Worksheet, practical tips and Viva questions, reference books, smart content, curriculum, syllabus, marking scheme, toppers answer scripts, revised exam pattern, revised syllabus, Blue Print etc. here. Join Your Subject / Class WhatsApp Group.

Kindergarten to Class XII (For Students Only)





Subject Wise Secondary and Senior Secondary Groups (IX & X For Students Only) Secondary Groups (IX & X)



Senior Secondary Groups (XI & XII For Students Only)













































Groups Rules & Regulations:

To maximize the benefits of these WhatsApp groups, follow these guidelines:

- 1. Share your valuable resources with the group.
- 2. Help your fellow educators by answering their queries.
- 3. Watch and engage with shared videos in the group.
- 4. Distribute WhatsApp group resources among your students.
- 5. Encourage your colleagues to join these groups.

Additional notes:

- 1. Avoid posting messages between 9 PM and 7 AM.
- 2. After sharing resources with students, consider deleting outdated data if necessary.
- 3. It's a NO Nuisance groups, single nuisance and you will be removed.
 - No introductions.
 - No greetings or wish messages.
 - No personal chats or messages.
 - No spam. Or voice calls
 - Share and seek learning resources only.

Please only share and request learning resources. For assistance, contact the helpline via WhatsApp: +91-95208-77777.

Join Premium WhatsApp Groups Ultimate Educational Resources!!

Join our premium groups and just Rs. 1000 and gain access to all our exclusive materials for the entire academic year. Whether you're a student in Class IX, X, XI, or XII, or a teacher for these grades, Artham Resources provides the ultimate tools to enhance learning. Pay now to delve into a world of premium educational content!

Click here for more details









■ Don't Miss Out! Elevate your academic journey with top-notch study materials and secure your path to top scores! Revolutionize your study routine and reach your academic goals with our comprehensive resources. Join now and set yourself up for success!

Best Wishes,

Team
School of Educators & Artham Resources

SKILL MODULES BEING OFFERED IN MIDDLE SCHOOL



<u>Artificial Intelligence</u>



Beauty & Wellness



<u>Design Thinking &</u> Innovation



Financial Literacy




Handicrafts



Information Technology



Marketing/Commercial Application



<u>Mass Media - Being Media</u> <u>Literate</u>



Travel & Tourism



Coding



<u>Data Science (Class VIII</u> <u>only)</u>



<u>Augmented Reality /</u>
<u>Virtual Reality</u>



Digital Citizenship



<u>Life Cycle of Medicine & Vaccine</u>



Things you should know about keeping Medicines at home



What to do when Doctor is not around



Humanity & Covid-19



CENTRAL BOARD OF MICHAEL PROCESSOR

CONTRAL BOARD OF MICHAEL PROCE







Food Preservation



<u>Baking</u>



<u>Herbal Heritage</u>



<u>Khadi</u>



Mask Making



Mass Media




Making of a Graphic Novel



<u>Embroidery</u>



<u>Embroidery</u>




Rockets



Satellites



<u>Application of</u> <u>Satellites</u>



<u>Photography</u>


SKILL SUBJECTS AT SECONDARY LEVEL (CLASSES IX - X)



Retail



Information Technology



Security



<u>Automotive</u>




Introduction To Financial Markets



Introduction To Tourism



Beauty & Wellness



<u>Agricultur</u>e



Food Production



Front Office Operations



Banking & Insurance



Marketing & Sales



Health Care



<u>Apparel</u>



Multi Media



Multi Skill Foundation **Course**



Artificial Intelligence



Physical Activity Trainer



Data Science



Electronics & Hardware (NEW)



Foundation Skills For Sciences (Pharmaceutical & Biotechnology)(NEW)



Design Thinking & Innovation (NEW)

SKILL SUBJECTS AT SR. SEC. LEVEL (CLASSES XI - XII)



Retail



<u>InformationTechnology</u>



Web Application



Automotive



Financial Markets Management



Tourism



Beauty & Wellness



Agriculture



Food Production



Front Office Operations



Banking




Marketing






Insurance



Horticulture



Typography & Comp. **Application**



Geospatial Technology



Electronic Technology



Multi-Media



Taxation



Cost Accounting



Office Procedures & Practices



Shorthand (English)



Shorthand (Hindi)



<u>Air-Conditioning &</u> <u>Refrigeration</u>




<u>Medical Diagnostics</u>




Textile Design




<u>Design</u>



<u>Salesmanship</u>



<u>Business</u> Administration



Food Nutrition & Dietetics




Mass Media Studies




<u>Library & Information</u> <u>Science</u>



Fashion Studies



Applied Mathematics



<u>Yoga</u>



<u>Early Childhood Care &</u> <u>Education</u>



<u>Artificial Intelligence</u>



Data Science



Physical Activity
Trainer(new)



Land Transportation
Associate (NEW)



Electronics & Hardware (NEW)



<u>Design Thinking &</u> <u>Innovation (NEW)</u>

